# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7.11.2023



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Trade name: Anti Scratch

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Photon-curable forming resin for 3D printing. Industrial uses.

Uses advised against: Not for Food additives.

# 1.3 Details of the supplier of the safety data sheet:

Company: PANCOLOUR INK CO., LTD.

Address: No. 72-1, Wenming Rd., Guishan Dist., Taoyuan City 33382, Taiwan

Telephone: +886-3-3270177

E-Mail sales1@pancolourink.com

1.4 Emergency telephone number:

Telephone: +886-3-3270177, ext.110

# SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

# Classification (Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity(Oral), Cat.5 : H303-May be harmful if swallowed

Skin irritation, Cat.2 : H315-Causes skin irritation

Eye damage, Cat.1 : H318-Causes serious eye damage

Skin Sensitization, Cat.1 : H317-May cause an allergic skin reaction STOT-Repeated exposure, Cat.2 : H373-May cause damage to organs

Chronic Aquatic hazard, Cat. 3 : H412-harmful to aquatic life with long lasting effects

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard

pictograms







Signal word: Danger

Hazard H303-May be harmful if swallowed

statements: H315-Causes skin irritation

H318-Causes serious eye damage H317-May cause an allergic skin reaction

H373-May cause damage to organs H412-harmful to aquatic life with long lasting effects

**Precautionary Prevention** 

**statements:** P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/face protection.

#### Response

P301+ P317 IF SWALLOWED: Get medical help. P302 + P352 IF ON SKIN: Wash with plenty water/...

P305 + P354 + P338 IF IN EYES: Immediately rinse with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P319 Get medical help if you feel unwell.

P332 + P317 If skin irritation occurs: Get medical help. P333 + P317 If skin irritation or rash occurs: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

-

# Disposal

P501 Dispose of contents/container in accordance with local regulation.

# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7.11.2023



#### 2.3 Other hazards

Adverse physicochemical effects: Not available

Adverse human health effects and symptoms: Not available

Adverse environmental effects: Not available

Other adverse hazards: Not available

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances:

Not applicable.

#### 3.2 Mixtures

# Description of the mixture:

Viscous Liquid.

#### **Hazardous ingredients**

Substance	Concentration (% w/w)	CAS-No.	Classification regulation 1272/2008/EC, REACH
Acrylated monomer 1	5~20%	52408-84-1	Acute Tox. 4 *, H302
			STOT RE 2 *, H373 **
			Eye Dam. 1, H318
			Skin Sens. 1, H317
DPGDA	10~20%	57472-68-1	Skin Irrit. 2 , H315
			Skin Sens. 1 , H317
			Eye Dam. 1 , H318
Acrylated monomer 2	1~10%	48145-04-6	Eye Dam. 1 , H318
			Skin Irrit. 2 , H315
			Skin Sens. 1 , H317
			STOT SE 3 , H335
			Aquatic Chronic 2 , H411
Acrylated oligomers	20~40%	55818-57-0	Not applicable
TMO	0.5~2%	270586-78-2	Repr. 2, , H361f
Additives	1~6%	25190-06-1	Aquatic Chronic 3 , H412
			Eye Irrit. 2 , H319
Titanium dioxide	< 1%	13463-67-7	Carc. 2, , H351
Pigment	< 0.1%	84632-65-5	Carc. 2 , H351

### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General information: Move the victim to fresh air.

Do not leave the victim unattended.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Following inhalation: If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

Following skin contact: Wash off immediately with soap and plenty of water.

If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

Following eye contact: Immediately flush eye(s) with plenty of water.

Flush eyes with water as a precaution.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Following ingestion: Keep respiratory tract clear.

Self-protection of the

first aider:

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination

# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7 11 2023



#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation.

> May cause an allergic skin reaction. Suspected of damaging the unborn child

**Effects** Not available

#### 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### **Extinguishing media**

Suitable extinguishing

Dry sand, ABC powder, Foam

media

Unsuitable

High volume water jet.

extinguishing media

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

Do not allow run-off from fire fighting to enter drains or water courses.

firefighting

Hazardous combustion

products

Possible decomposition products are: COx, NOx

#### 5.3 Advice for fire-fighters

Special protective

equipment for fire fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed

of in accordance with local regulations.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions

# Personal precautions, protective equipment, and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Wear appropriate respirator when

Protective equipment

ventilation is inadequate. Wear protective gloves/clothing and eye/face

Evacuate personnel to safe areas. Use personal protective equipment.

protection.

Emergency procedures No action shall be taken involving any personal risk or without suitable

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe

vapour or mist.

Personal protective

equipment

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

### For emergency responders

Personal protective equipment

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

#### **Environmental precautions**

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

For containment Prevent further leakage or spillage if safe to do so.

# according to Regulation GHS (UN)

Trade name: Anti Scratch



For cleaning up Soak up with inert absorbent material (e.g. sand, sawdust etc.).

Other information Not available

#### 6.4 Reference to other sections

For personal protection, see section 8.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

#### **Protective measures**

Advice on safe Do not breathe vapours/dust. Avoid exposure - obtain special instructions

handling before use. Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating, and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any

process in which this mixture is being used.

Fire preventions Normal measures for preventive fire protection.

### Advice on general occupational hygiene

Hygiene measures Do not eat, drink, or smoke when using.

Wash hands before breaks and at the end of workday.

## 7.2 Conditions for safe storage, including any incompatibilities

#### **Technical measures and storage conditions**

Packing materials Original container, plastic containers with cover.

#### Requirements for storage rooms and vessels

Requirements for Take measures to prevent the build up of electrostatic charge.

storage areas and Use explosion-proof equipment. Containers Keep container closed when not in use.

# Hints on storage assembly

Storage class Store in original container. Keep containers tightly closed in a cool, well-

ventilated place.

Materials to avoid Keep away from sources of ignition, oxidizing agents, strongly alkaline and

strongly acid materials to avoid exothermic reactions.

# Further information on storage conditions

Protect from humidity and water.

### 7.3 Specific end uses

This information is not available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Occupational exposure limits

Substance name	CAS-No.	Limit value - 8-hrs	Limit value - Short term	Basis
TiO2	13463-67-7	10 mg/m3	-	BL OEL

### Exposure limits at intended use

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	CAS-No.	End use	Exposure route	Effects	Threshold
Acrylated monomer 1	52408-84-1	Workers	Inhalation (L)	Systemic	132.24 mg/m <sup>3</sup>
			Inhalation (S)	Systemic	132.24 mg/m <sup>3</sup>
			Dermal (L)	Systemic	300 mg/kg bw/day
			Dermal (S)	Systemic	300 mg/kg bw/day
DPGDA	57472-68-1	Workers	Inhalation (L)	Systemic	24.48 mg/m <sup>3</sup>
			Dermal (L)	Systemic	2.77 mg/kg bw/day
		General	Inhalation (L)	Systemic	7.24 mg/m <sup>3</sup>
		population			
			Dermal (L)	Systemic	1.66 mg/kg bw/day

# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7.11.2023



Substance name	CAS-No.	End use	Exposure route	Effects	Threshold
			Oral (L)	Systemic	2.08 mg/kg bw/day
Acrylated monomer 2	48145-04-6	Workers	Inhalation (L)	Systemic	8.22 mg/m <sup>3</sup>
			Dermal (L)	Systemic	2.3 mg/kg bw/day
		General	Inhalation (L)	Systemic	1.4 mg/m <sup>3</sup>
		population			
			Dermal (L)	Systemic	830 μg/kg bw/day
			Oral (L)	Systemic	830 μg/kg bw/day
TMO	270586-78-2	Workers	Inhalation (L)	Systemic	822 μg/m³
			Dermal (L)	Systemic	233 μg/kg bw/day
		General	Inhalation (L)	Systemic	145 μg/m³
		population			
			Dermal (L)	Systemic	83.3 μg/kg bw/day
			Oral (L)	Systemic	83.3 μg/kg bw/day

Note: (L)=Long-term; (S)=Short-term

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance		Environment	Environmental	Thurshald	
name	CAS-No.	type	Compartment	Threshold	
Acrylated monomer 1	52408-84-1	Aquatic Organisms	Freshwater	12 μg/L	
		Aquatic Organisms	Sediment (freshwater)	9.428 μg/kg sediment dw	
		Terrestrial Organism	Soil	1.442 μg/kg soil dw	
DPGDA	57472-68-1	Aquatic Organisms	Freshwater	3.4 μg/L	
			Intermittent releases (freshwater)	34 μg/L	
			Marine water	340 ng/L	
			Sewage treatment plant (STP)	100 mg/L	
			Sediment (freshwater)	8.84 μg/kg sediment dw	
		Terrestrial Organism	Soil	1.3 μg/kg soil dw	
Acrylated 48145-04-6 monomer 2	48145-04-6	Aquatic Organisms	Freshwater	2.7 μg/L	
			Intermittent releases (freshwater)	27 μg/L	
			Marine water	270 ng/L	
			Sewage treatment plant (STP)	10 mg/L	
			Sediment (freshwater)	177.6 μg/kg sediment dw	
			Sediment (marine water)	17.8 μg/kg sediment dw	
		Terrestrial Organism	Soil	33.9 μg/kg soil dw	
TMO	270586-78-2	Aquatic Organisms	Freshwater	1.4 μg/L	
			Intermittent releases (freshwater)	14 μg/L	
			Marine water	140 ng/L	
			Intermittent releases (marine water)	1.4 μg/L	
			Sediment (freshwater)	115 μg/kg sediment dw	
			Sediment (marine water)	11.5 μg/kg sediment dw	
		Terrestrial Organism	Soil	22.2 μg/kg soil dw	

# 8.2 Exposure controls

Appropriate engineering controls Personal protective equipment

Eye protection: Goggles, Safety glasses

Hand protection: Solvent-resistant gloves (butyl-rubber)

Take note of the information given by the producer concerning

# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7.11.2023



permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with

the producers of the protective gloves.

Skin and body Choose body protection according to the amount and concentration of the

protection: dangerous substance at the workplace.

Respiratory protection: Use suitable breathing protection if workplace concentration requires.

**Environmental exposure controls** 

Water The product should not be allowed to enter drains, water

courses or the soil.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

Physical state	Viscous liquid	Odor	Typical arylates
Color	Refer to product label	Odor Threshold	Not available
рН	Not applicable		
Melting point / Freezing point	No data available	Initial boiling point / Boiling range	Not available
Flash point	> 110°C (Closed-cup)	Evaporation rate	Not available
Flammability (Solid, gas)	Not available	Explosive limits	Not available
Vapor pressure	Not available	Vapor density	Not available
Relative density	ca. 1.12g/cm <sup>3</sup>	Solubility	Not available
Partition Coefficient: n- Octanol/Water	Not available	Auto-ignition temperature	Not available
Decomposition Temperature	Not available	Viscosity (25°C)	260~300 cP

#### 9.2 Other information:

No data available

# **SECTION 10: STABILITY AND REACTIVITY**

## 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions: Contact with acids and alkalis may release hydrogen.

Stable under recommended storage conditions.

10.4 Conditions to avoid:

Conditions to avoid High temperature, exposure to direct sun light.

10.5 Incompatible materials:

Materials to avoid: Acids, Bases, Oxidizing agents

10.6 Hazardous decomposition products:

Contact with water or

This information is not available.

humidity

Thermal decomposition This information is not available.

# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7.11.2023



### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on likely routes on exposure

None known

#### 11.2 Information on toxicological effects

**Acute toxicity** 

Product: May be harmful if swallowed

Components:

[ Acrylated monomer 1 ] (Oral) Harmful

(Inhalation) LC50 (4 h) 1 mg/L air (rat)

(Dermal) Not classified

Remarks: data from ECHA REACH-dossier information

Skin corrosion/irritation

Product: Causes skin irritation
Components: No data available

Eve damage/irritation

Product: Causes serious eye damage

Components: No data available

Skin/Respiratory sensitization

Product: May cause an allergic skin reaction

Components: No data available

Germ cell mutagenicity

Product: Not classified based on available information.

Components: No data available

Carcinogenicity

Product: Not classified based on available information.

Components: No data available

Reproductive toxicity

Product: Not classified based on available information.

Components: No data available

STOT - Single exposure

Product: Not classified based on available information.

Components: No data available

**STOT- Repeated exposure** 

Product: May cause damage to organs

Components: No data available

Aspiration toxicity

Product: Not classified based on available information.

Components: No data available

#### SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity:

Product: No data available

Components:

[ Acrylated to fish: LC50 (4 days) 2.7 mg/L

monomer 2 to aquatic invertebrates: EC50 (48 h) 158.3 mg/L

to aquatic algae and cyanobacteria: EC50 (72 h) 11.3 - 25.7 mg/L

to microorganisms: NOEC (14 days) 100 mg/L

Remarks: data from ECHA REACH-dossier information

### 12.2 Persistence and degradability

Product: No data available

# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7.11.2023



Components:

Acrylated

Biodegradation in water: Inherently biodegradable (100%)

monomer 2

Remarks: data from ECHA REACH-dossier information

12.3 Bioaccumulative potential

Product: No data available

Components:

Remarks: data from ECHA REACH-dossier information

12.4 Mobility in soil

Product: No data available

Components:

[ Acrylated

Adsorption/desorption: Koc 141.8 - 621.8 L/kg

monomer 2 1

Remarks: data from ECHA REACH-dossier information

12.5 Results of PBT and vPvB assessment

The substances are not considered to be persistent, accumulative, and toxic (PBT). The substances are not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects:

No data available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water courses or the

soil. Do not contaminate ponds, water ways or ditches with chemical or used container. Send to a licensed waste management company. In

accordance with local and national regulations.

Contaminated Empty remaining contents. Dispose of as unused product. Do not re-use

packaging empty containers. In accordance with local and national regulations.

### **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number or ID number

Not applicable

14.2 UN Proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as marine pollutant

14.6 Transport in bulk according to IMO instruments

Not applicable for product as supplied.

14.7 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

14.8 ICAO/IATA -DGR: NOT RESTRICTED AS PER DANGEROUS GOOD

#### **SECTION 15: REGULATORY INFORMATION**

**15.1** Safety, health, and environmental regulations/legislation specific for the substance or mixture REACH-Candidate List of Substances of Very High Concern for Authorisation (Article 59): Not applicable

15.2 Chemical Safety Assessment

None

8/9

# according to Regulation GHS (UN)

Trade name: Anti Scratch

Version: 1.0 / EN Revision date: 7.11.2023



#### **SECTION 16: OTHER INFORMATION**

Reference

- Globally Harmonized System of Classification and Labelling of Chemicals (GHS), rev.8, 2019
- (EC) No.1272/2008, Annex VI to CLP, ATP14, 2020
- REACH-dossier documents, ECHA
- PBT assessment list, ECHA
- IFA GESTIS International limit values for chemical agents (Occupational exposure limits, OELs)
- TRGS 903 Biological Limit Values (BGW) Technical rule for hazardous substances

Prepared by

Pancolour Ink Co., Ltd. / QA / +886 (3) 3270177

The information provided in this Safety Data Sheet is according to the best of our knowledge and information at the date of its publication. The information in this SDS was obtained from sources, which we believe are reliable. However, the information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release. It is not to be considered a warranty or quality specification. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of document